



Head protection



**NEW**



## ART.CE.S16EFMR HELMET NEXUS WORKS IN HEIGHT

Technical helmet in ABS ultra-light, high quality with rack adjusting complete of underthroat. Adjustable quick release, indirect aeration. Without pick for a best view. Internal padded lining. Belt with 4 points quick release and side adjusting. dielectric resistance from 1000 up to 1500 Volt.

Size : universal

Color: yellow

Packing: 1/10

NORM: EN 12492, ANSI/ISEA Z89.1-2009, Class C, LT AS/ NZS 1801:1997. EN 397, LD/ MM, EN 50365



**NEW**



## ART.CE.S589 EYEWEAR HELMET "NEXUS" CLEAR LENS

Replaceable and easy to assemble eyeglasses with anti-scratch / anti-fading lining, with curtain ascent and descent for the helmet, in combination with the helmet it can be used in explosive atmospheres as it provides antistatic protection, according to IEC 60079-32-2: 2015 electrostatic risk tests. These products have been designed to last up to 5 years. One size. Color: clear.

Standards: EN 170 2C-1,2, EN 166 F1, ANSI / ISEA Z87.1-2015.

Packing: 1/10.

(AVAILABLE ALSO IN GREY VERSION ART.CE.S589SE).

## ART.K.997.18A HELMET "MOUSE WORK" GR.385

High quality technical helmets with rack adjustment, complete with adjustable self-locking slip, indirect aeration. Without peak for a best visual. Ultralight.

Size : Universal (cm 52/63).

(AVAILABLE ALSO IN THE DIELECTRIC VERSION).

NORM: CE - EN397.

Colour: yellow

Packing: 1/6.



## ART.GS.25SP HELMET RACK REGULATOR LARGE BAND

PP helmet with wide edge for better protection in the sun and rain. Textile harness with 4 attachment points. Rear rack regulator, anti-sweat band. Impact resistance up to - 10 ° C + 50 °.

Size: universal.

NORM : CE EN 397 - ANSI/ ISEA Z89.1 TYPE I (Class E)

Colour: white.

Packing: 1/20.



## ART.CE.S08EFR - HELMET SHORT PEAK VENTILATED WITH WHEEL RATCHET

Helmet ABS (Acrylonitrile-Butadiene-Styrene). Short, ventilated peak, textile harness with 6 attachment points. Rear wheel ratchet regulator, anti-sweat band. Electrical insulation up to 1000V, Impact resistance up to - 40 °. Weight: g 329. (also available with integrated CE.S10 plus visor).

Size: universal.

CE EN 397:1995+A1  
EN 397:2012+A1:2012  
EN 50365 - ANSI/ISEA Z89.1-2009 Type 1  
Colours: blue, orange.

Packing: 1/20.



**NEW**



## ART.CE.S03 HELMET WHEEL RATCHET REGULATOR INTERIOR TEXTILE

Helmet HPDE (High Density Polyethylene). Harness at 6-point, fabric harness. Back rack control, anti-slip band. Electrical insulation up to 440V, Impact resistance up to - 40 °. Helmet duration 5 years from initial use. Weight: g 365.

Size : universal

NORM : CE EN 397 - ANSI / ISEA Z89.1-2009 tipo 1  
Classe E

Colour: yellow, blue, white

Packing: 1/20.

**NEW**



## ART.CE.S10PLUS HELMET "VISION" WITH INTEGRATED VISOR

High quality ultra-light ABS technical helmet, with wheel ratchet adjustment, complete with adjustable visor in anti-fog polycarbonate. It can also be worn as an over-glasses. Short peak for a wide field of view. Interior with 6 fabric hooking points. Sweat band. Chinstrap on request. Dielectric strength from 1000 to 2000 Volts. LD / MM.

Size: Universal

Colour: yellow

Norm: EN 397+A1, ANSI/ISEA Z89.1-2009, CL.1  
EN166/EN170 WEIGHT GR. 573  
LIFE: 10 YEARS, 5 FROM UTILIZATION.

Packing: 1/5



## ART.CE.S20R HELMET "SPECTRUM" WITH INTEGRATED GLASSES

Made of ABS, ultralight, internal textile harness with 6-point hook, complete with sweatband, "Twist" ratchet adjustment. Peak reduced to 2 cm. for better visibility, integrated with eyewear that can be used in overlapping to those from view, anti-fog. Electrical insulation up to 1000 V, impact resistance up to -40 °. Weight: gr. 440. Sizes: universal.

CE EN 397, 1000V a.c, LD, MM (1000V a.c - unvented shell only)  
EN 50365, ANSI/ISEA Z89.1-2009 Type 1 Class C LT.  
Glasses: EN 166 1 B T, EN 170 2C-1,2 and ANSI/ISEA Z87.1-2010 Z87+. 397 - EN 50365.  
Colour: yellow. (On request other colors).

Packing: 1/10.

**NEW**



## ART.CE.S22760S36 HELMET FOR SMELTING WORKS COMPLETE OF VISOR AND COVER CAP

Fiberglass helmet, designed to protect workers in the event of high radiant heat. Resistant to radiant temperatures up to 500 ° C. Interior: 6-point Terylene and brushed nylon band. Wheel ratchet adjustment. Complete with adjustable support in polyetherimide and visor of polycarbonate gold. Aluminized protection for the neck against splashes of molten metal.

Size: Universal  
Color: white.

Certification for helmet:

EN EN 397: 440V a.c, LD, MM, -30°C, GOST: -30°C, +90°C, LD, 2000V a.c. and ANSI/ISEA Z89.1-2009 Type 1 Class G (2000V a.c.).

Certification for neck protection: EN532, EN407.

Certification for support and visor: EN166 F 1 3 9 T, EN171 4-5,

Packing: 1/10.

AVAILABLE ON ORDER VARIOUS SCREENS: GRAY ACETATE, TRANSPARENT TRIACETATE

## ART.BA.1017291 COMPLETE FORESTRY HELMET

The kit includes the following components: Leightning L1H SNR 28 dB headphones, helmet in 6-point textile polyethylene, ventilated, bright orange, metal mesh visor (Code 10 178 00): flexible, durable and easy to adjust; detachable sun visor; integrated rain cover for protection against debris and sun / rain.

CE EN 397 - EN 50365 - EN1731, EN352

Colour: orange.

Packing: 1/20.

## ART.CE.S38R - "BUMP CAP" SHOCK PROTECTION WITH WHEEL RATCHET

**NEW**



The AirPro SecurePlus cap / helmet has been designed to offer the best in class for head retention and maximum comfort with the supply of our innovative ratchet headband. Breathability has been improved with crown mesh panels on top of the perforated shell and pad for optimum coolness. Treated with Dupont Teflon fabric protection, which allows easy removal of dirt and grime.

CE - EN812. Color: blue (on order: black).

Packing: 1/20.



**NEW**

## ART.CE.S50FL "LINING FOR WINTER FLEECE HELMET"

It keeps your head, ears and neck warm. It is inserted between the support and the helmet covers for full integration and safety. Approved to fit all the Centurion helmets listed.

CE

Colour: black.

Packing: 1/5.



## ART.CE.S50HVOFC "NECK-THROAT COVER WINTERLY - RAINPROOF"

Neck cover and inner throat in rip-stop polyester outer fleece, orange rainproof. To be combined with a zipper to the CE.S50FL article. Resistant at colder temperatures.

Compliance with EN471 directives.

Packing: 1/5.



**NEW**

## ART.CE.S30LBCC LAMP COUPLING ON HELMET CONCEPT AND VISION

Clip bracket and accessory to allow the installation of lamps to the Concept and Vision safety helmet.

Color: black.

Packing: 1/1.

(Fastening for Spectrum helmet:  
art. CE.S30SLBCC)



**NEW**

## ART.CE.S506S57 POLYCARBONATE SCREEN ELECTRIC ELECTRIC ARC CLASS 2

The system protects against electric arc risks caused by electrical faults and tested according to EN 166 and GS-ET-29. Green ArcPro screens with anti-fog coating with chin guard permanently fixed and mounted on Hi-Tem 300 ArcPro Carrier. Suitable for all Centurion helmets.

NORM. EN166, EN170, GS-ET29  
CLASS 2 7KA -

Color: light grey

(on request: medium grey screen)

Packing: 1/5.



## ART. BA.1002302 SUPERVIZOR SA660 Support for polycarbonate helmet

Hook with elastic band, adapts to the most common types of helmet. The materials resist the attack of numerous solvents, acids and alkalis. Impact resistant (120m / s). Suitable in metallurgy, chemical industry, construction. For flame welding jobs when combined with a darkened screen. (Screen apart in acetate ART.1002307, electric arc screen ART.BA.1002308).

EN: 397.

Packing: 1/10.



**Honeywell**

## ART.BA.1031749 "TURBOSHIELD" SUPPORT FOR HELMET AUTOMATIC RELEASE

The design places the screen in the middle of the head when it is in the raised position, providing greater field of vision. Integrated flap protection visor (ITEM BA.1031743), ensures total protection against possible fragments. It allows the use of additional IPR on the helmet. Compatible with most helmets. Automatic intuitive screen fastening system for easier and quicker screen replacement. Suitable with helmets: North, MSA -V-Gard; etc. Conformity Norm UE 1907/2006 (REACH). EN 166.

Packing: 1/10.





GAMMA SAFETY  
[www.gammasafety.it](http://www.gammasafety.it)

Authorized distributor Romania

RIG ENERGY CONSULTANTS SRL  
14 Gheorghe Grigore Cantacuzino  
100010 Ploiesti, Romania  
Email: [info@rigenergy.ro](mailto:info@rigenergy.ro)  
Mobile: +40 739 855 200  
[www.rigenergy.ro](http://www.rigenergy.ro)