



ART.AL.JALRUN - LOW SHOE WITH NEW TECNOLOGY J-ENERGY EN20345 - S1P - SRC



Upper in suede leather, reinforcement on the TPU ankle. High breathability, thermoregulating, antibacterial lining. Aluminum toecap, anatomic soft insole with the end part to the cushioned heel. Non-magnetic anti-perforation midsole. Sole J-Energy PU foam with elastic memory inserts. ISO8307.

Sizes: 38 - 48.

Packing: 1/10.

ART.GS.2011 - COMPOSITE LOW SHOE "MICRO" COW LEATHER AND MICROFIBER EN 20345/11 - S1P SRC



Low shoe in blue smooth leather with mesh inserts. 3D breathable interior. Internal technical insole. PU foam sole with elastic memory inserts.

Toe cap and composite midsole. Sizes: 36 / 47.

Packing: 1/10.

ART.BR.91195.03 LOW SHOE "DANCE" S1PSRC



Upper in thrown suede leather, with holes. High quality. Abrasion resistant breathable lining, dual density PU sole, excellent resistance to oils, non-slip. Interchangeable preformed comfort insole. Aluminum toe cap and composite midsole.

Sizes: 36 / 46.

Packing: 1/10.

ART.GS.2012 LOW SUEDE SHOE "DIADO" EN20345 S1P SRC HRO



Upper in dark blue and yellow suede leather, with soft instep padding. Breathable 3D lining.

Rubber sole resistant to heat up to 300 °.

Toe cap and composite midsole.

Sizes: from 37 to 46.

Packing: 1/10.

ART.BR.91328-01 LOW SHOE "CUBAN" EN20345 S1P SRC ESD CL. 3



Microfiber upper. Lining: 3D air circulation. Anti-bacterial soft-fit insole. Aluminum toe cap. Textile midsole. Hydrotech suede nubuck leather, lining: 3D Air circulation 320 gr., Insole: Soft-Fit. New Stabil Active technology for better support of the heel and tarsal joints. Sole: PU / PU ESD-plus SRC passed..

Sizes: 36 / 47.

Packing: 1/10.

ART.FTG.MUGELLO LOW SHOE "DUCATI" S1PSRC - ESD



Smooth leather upper and Safety-Tex fabric. breathable lining, abrasion-resistant, dual density PU outsole, excellent resistance to oils, slip. Interchangeable insole preformed. Toecap and composite midosole.

Sizes: 38 - 47.

ART.FTG.CARVING LOW SHOE "SPORT" EN20345 - S1P - SRC - TOE CAP: 200 J



Upper blue suede leather with padded storm-cuff. HIGH-TEX inserts. Lining, 100% honeycomb finished polyester.

Insole, SPORT-LITE, anatomic and antistatic. Sole: double density polyurethane. Toe cap: non-Metallic thin cap.

Midsole: Non-Metallic HRP INSOLE.

Sizes: 35 - 47. Packing: 1/10.

ART.UV.95102 - ELEGANT SHOE FOR OFFICE AND WORK EN 20345 S1P SRC



Elegant shoe in soft quality leather. All the materials of the soles are free of silicones, softeners and other substances that counteract the adhesion of the paint. DUO polyurethane sole, self-cleaning and light with excellent properties, anti-friction and shock-absorbing and excellent anti-slip. Lining: breathable honeycomb processing. Insole HRP insole. Tope cap and midsole metal free.

Sizes: from 38 to 48. Packing: 1/10.

ART.GS.2013 - LOW SHOE SPLIT LEATHER EN 20345/2011 - S1P SRC



Low shoe split leather grey with holes. Interno traspirante 3D. Soletta interna ergofix. 3D breathable interior. Ergofix insole. Black polyurethane sole. Steel toe cap and midsole.

Sizes: 36 / 46.

Packing: 1/10.

ART.AL.JALVEGA LOW SHOE EN20345 - S1P - SRC - EN 61340-4-3-5-1



Upper gray suede leather, interior lining multistate breathable. Insole antatomica from 8 mm, and antistatic. TR dual density polyurethane sole with high slip resistance. **Plentyfull** fit toecap polymeric, midsole non-magnetic and no - metall. Large Plant.

Sizes: 40 - 47.

Packing: 1/10.

ART.FTG.BLUES LOW - LOW SHOE "MUSIC" EN20345 - S1P - SRC - TOE CAP: 200 J



Uppers reinforced cotton, interior breathable cotton cover (washable at 40 °). The coated tip offers a good abrasion resistance. Insole ERGO-FIT, anatomic and antistatic. Dual density polyurethane sole. plentyfull fit. Toecap steel, non-magnetic foil HRP INSOLLE.

Sizes: 35 - 47.

(TO ORDER UPPER LEATHER: 48/49/50).

Packing: 1/10.

(Available high Art. Blues High).

ART.BR. 94387-04L - LOW SHOE "RANDA" EN20345 - S3 - SRC



Upper: Drummed Suede Millefori, Lining: Breezy 3D, two-layers combination Removable insole: Soft-fit Plus ESD, Sole: PU / PU ESD-plus SRC passed Toe cap: Alu SXT 2.0, Antiperforation: K+ Anti-perforation PLUS metal free.

Sizes: 40 - 48.



Low shoe, MicroFiber Suede upper with pro-tech SXT light, MIcroFiber Xtop. 3D Air circulation lining 320 gr. SRC, interchangeable Soft-Fit insole. PU / PU ESD-plus SRC two-component sole. Toe cap Alu SXT 2.0 anti-perforation Zero (4K) -Antiperforation, midsole metal free.

Sizes: from 40 / 48.

Packing: 1/10.

ART.BR.94379-03L - LOW SHOE "NEWPORT BOA" EN20345 - S3 SRC ESD CL.3



WRU microfiber upper with high tenacity. 3D air lining. Insole in anatomic and breathable foam. Toe cap Alu and midsole: non-metallic. New Stabil Active technology for better support of the heel and tarsal joints. "BOA® automatic closing. PU / PU ESD-plus SRC sole. Excellent resistance to oils, anti-slip.

Size: 38 - 48.

Packing: 1/10.

ART.BR.91253-00 LOW SHOES "PASITOS" S3 SRC ESD "classe 3"



Upper suede leather nubuck high quality water repellent. Abrasion resistant breathable lining, PU outsole dual density, excellent resistance to oils, slip. Interchangeable insole preformed comfort. Aluminum toe cap and composite midsole. Orthopedic in accordance with BRG 191.

(Available in high model version Art. Pasitos Hight).

Sizes: 37 - 46.

Packing: 1/10.

ART.FTG.BASKET LOW - SHOE LOW COMPOSITE NUBUK - EN 20345 - S3 SRC ESD



Nubuk upper, with malleolus padding, 100% breathable polyester lining. Non-metallic HRP insole, anatomic, antistatic and antibacterial SPORT-LITE insole. Dual density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. Midsole particularly studied in its density to favor softness to the full advantage of comfort.

(Available high version mod. BASKET HIGHT).

Sizes: 38 / 48. Packing: 1/10.

ART.FTG.CONCORDE LOW SHOE CLOSER WITH BOA S3 - SRC - ESD



Upper: nubuk with malleolus padding, 100% polyester lining.

Non-metallic HRP insole, ATOMIC insole. Dual density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. BOA® opening / closing mechanism. Midsole particularly studied in its density to favor softness to the full advantage of comfort. Metal free.

Sizes: 38/46. Packing: 1/10.

ART.FTG.LE MANS LOW SHOE "DUCATI" S3 SRC - ESD



Upper leather grain oiled black. TOP LEATHER, lining 100% polyester manufacturing honeycombed. Insole: sports-lite. polyurethane sole bidensità. Composite toe cap and midsole.

Sizes: 38 - 47. Packing: 1/10.

ART.GS.2015 LOW SHOE LEATHER EXTRA QUALITY EN20345 - S3 - HRO - SRC



Upper in tumbled calf leather, lining in three-dimensional fabric. Antiperforation insole. Antibacterial, anatomical and antistatic insole. Sole in EVA and polyurethane rubber resistant to acids and hydrocarbons. Composite toe cap and midsole. Sizes: 40/47.

Packing: 1/10.

ART.GS.2014 - COMPOSITE LOW SHOE NUBUK LEATHER - EN 20345/11 - S3 SRC HRO ESD



Low shoe upper in nubuk dark grey color waterproof. Seams light grey. Inner: 3D breathable. Insole removable shock absorber with inserts. Sole nitrilic rubber resistant up to 300° colour black with white insert.

Non-metallic toe cap and midsole.

Resistant to chemical agents and optimal in the oil and gas sector.

Sizes: 38 / 47. Packing: 1/10.

ART.AL.SOPHIE- LOW SHOES WOMAN EN20345 S1P SRC



Suede upper i with breathable technical inserts. Neck and padded foot Inner polyamide antibacterial lining. Poliuritano dual density sole and rubber. le: Non-magnetic

Sizes: 35/42.

Packing: 1/10.

ART.FTG.LYON - LOW SHOES COMPOSITE ECO-LEATHER - EN 20345 - S3 SRC



Low shoe in eco-leather inserts high tex, washable at 40 °. Padded ankle lining EASY AIR. Insole, antistatic, breathable polyurethane sole with bearing SOFT WALK inside, toe cap and midsole NON METALLIC. (Hight version mod. FTG.PARIS).

Sizes: 38-48. Packingg: 1/10.



ART. FTG.NICE

SANDAL EN20345 -S1P - SRC

Sandal upper eco leather with hight-tex insert, black color , 100% polyester lining, Non-Metallic HRP Insole , Light & Soft. Insole antistatic and breathable , polyurethane sole , bending resistant , abrasion resistant, oil resistant , slip resistant, antistatic with the "little pad" SOFT WALK inside. Plus toe protection PRO CAP. Suggested sectors of usage Building/Costruction , Servicing, Mechanical Industry, Cooperative Society.

Sizes: 38 / 48. Packing: 1/10.

ART.BA.6551607 - LOW SHOES WOMAN "SPICE" EN20345 S1P HI CI SRC



Upper in smooth black leather with breathable mesh inserts. Neck and padded foot. 3D lining POROMAX ®. Supplied with two piaia black laces and Ililla. Poliuritano dual density sole and rubber. Toe cap and insole: Non-magnetic.

Sizes: 35/42.

ART.BR.95401-01L - LOW SHOES WOMAN "BOMA" EN 20345 - S3 SRC ESD



Drummed suede upper. Treatment: ESD. Breezy 3D lining, two layers combined for better breathability. Soft-fit Plus ESD insole. Dual-Density SRC PU sole. Toe cap Alu SXT 2.0. Anti-Drilling K + Anti-perforation PLUS midsole. Sole Double density polyurethane with TPU inserts: PU 2D Comfort.

Sizes: from 35/42. Packing: 1/10.



ART.BA.62455451 BOOT RANGER EN20345/17249 S3 CI HI WR HRO SRC CLASS II

High upper in water-repellent greased leather, lined with fabric resistant to chain-saw cuts. Breathable and water-repellent membrane. Flexion area in the soft rear part. Flexium insole. Sole: nitrile rubber.

Protection against the risk of class II chain saw cuts (EN 17249 chain speed 24m/s).

Sizes: 39/47.

Packing: 1/10.



ART.AL.JALROCHE HIGH SHOE WATER RESISTANT EN 20345 S3 CI HI WR HRO SRC

Suitable for all terrains, for every situation and frequent changes of environment. Waterproof grain leather upper, pull-up finish, abrasion resistant leather toe cap. Double GORE-TEX® lining, highly breathable and waterproof. Ensures perfect insulation and allows moisture to escape outside.

Reinforced heel, for better heel support, with shock absorber. Metal free toe and midsole. Kompact VIBRAM® heat-resistant sole for contact at 300°, with shock-absorbing effect, to protect the back and joints.

Sizes: 38/47.

Packing: 1/10.



ART.BR.91373-00 HIGH SHOE "CUBAN" EN 20345 - S3 SRC

ESD CL.3

High microfiber shoe. Lining: 3D air circulation. Anti-bacterial soft-fit insole. Aluminum toe cap. Textile midsole. Hydrotech suede nubuck leather, lining: 3D Air circulation 320 gr., Insole: Soft-Fit. New Stabil Active technology to improve heel support and tarsal joints.

Sole: PU / PU ESD-plus SRC passed.

ESD class 3, electrical insulation between 0.1 and $100 \text{ m}\Omega$.

Sizes: 40/46.

Packing: 1/10.

ART.BR.8014300 HIGH SHOE WELDING WITH SOFT TARSUS COVER EN 20345 S3 HRO SRC



Upper: Soft Full Grain Leather, lining: 3D Air circulation 320 gr., removable insole: Flyfit. Sole: PU-Rubber VIBRAM®-HRO-SRC. Toe cap: C.T.C. - Composite Toe Cap. Antiperforation: ZERO (k) ANTIPERFORATION metal free.

Sizes: dalla 40 alla 46.

Packing: 1/10.

ART.BA.6200672 - HIGHT SHOE "LINCE" IDEAL FOR WELDING EN20345 - S3 CI SRC



Upper: water repellent black leather, amagnetic toe cap and midsole. Lining: 3D breathable quick-drying. Insole: anatomical. Sole: polyurethane dual density. Tongue against the sparks. Belt and velcro closure.

Sizes: dalla 40 alla 47.

ART.GS.2014H - HIGH SHOE COMPOSITE LEATHER NUBUK - EN 20345/2011 - S3 SRC HRO



High shoe, upper in dark-gray water-repellent nubuk leather. Light gray stitching. 3D breathable interior. Removable shock absorber insole. Nitrile rubber sole withstands 300 ° black with white insert.

Toe cap, midsole metal free.

Sizes: 38 / 47.

Packing: 1/10.

ART.BR. 9440302L HIGH SHOE "GRINDER"



Upper: Drummed Suede Millefori, Lining: Breezy 3D, two-layers combination

Removable insole: Softfit Plus ESD, Sole: PU / PU ESD-plus SRC passed

Toe cap: Alu SXT 2.0, Antiperforation: K+ Anti-perforation PLUS metal free.

Sizes: 38-48.

Packing: 1/10.





ART.FTG. BASKET HIGH

HIGH SHOE COMPOSITE NUBUK EN 20345 S3 SRC ESD

Upper in safety-nubuk, with malleolus padding, 100% polyester lining, HRP non-metallic insole, anatomic, antistatic and antibacterial SPORT-LITE insole, dual-density polyurethane sole resistant to bending and abrasion, oil-proof, non-slip, ESD. Midsole particularly studied in its density to favor softness to the full advantage of comfort.

(Also available in the low version BASKET LOW model).

Sizes: 40 / 48. Packing: 1/10.



ART.FTG.LEGEND HIGH SHOE EN20345 -S3 SRC

Hight shoe, upper black smooth grain leather with padded storm-cuff. HIGH-TEX inserts. Lining 100% honeycomb finished polyester. Insole: LIGHT & SOFT, antistatic and brethable. Sole: translucid double density polyurethane. Toe cap and midsole: metal free HRP INSOLE.

(Also available in the low version FTG.Piper).

Sizes: 35 - 47.

Packing:1/10.

\407

ART.FTG.PARIS - HIGH SHOE COMPOSITE CROME FREE - EN20345 - S3 SRC WRU



Upper eco leather with HIGH-TEX inserts, colour black. Lining: 100% honeycomb finished polyester. Insole antistatic and breathable. Sole, polyurethane. Toe cap and midsole metal free. Chrome Free. Excellent resistance to oils, non-slip. Washable at 40° .

Sizes: 38 - 48.

Packing:1/10.



Hydrotech suede nubuck leather upper, lining: 3D Air circulation 320 gr., Insole: Soft-Fit. Sole: PU / PU ESD-plus SRC passed.

Toe cap: ALU SXT, metal free anti-perforation midsol. Metal free.

Sizes: 39/46.



ART.FTG.EOLO **HIGH SHOE LEATHER**

EN20345 - S3 HRO CI WR SRC

High shoe in Eco Leather, black color, WA-TER-STOP MEMBRA-NE lining, non-metallic insole lining. HRP IN-SOLE , THERMO-PLUS insole with high thermal isolation, bi-component sole (rubber-polyurethane) abrasion resistant, oil resistant, antistatic and heat resistant, with the "little pad" SOFT WALK inside. Plus toe protection PRO CAP.Toe cap and midsole: metal free.

Sizes: from 38 to 48.

Packing: 1/10.

PROOF



MADE IN ITALY

ART.FTG.KHIONE -**BOOT ANCKLE** WATERPROOF EN20345 - S3 HRO CI WR SRC

UPPER: in smooth black grain leather with inexact HIGHT-TEX, side closing zip WATERPROOF. Lining with Water-Stop membrane, high thermal insulation.

Non-magnetic toe cap and metal freee midsole. Rubber / polyurethane sole.

Sizes: from 40 to 48.

Packing: 1/10.





ART. **JALASKA BOOT GRAIN LEATHER** EN20345/2011 S3-SRC

Boot, in natural leather. Hydro-oleo repellent. Resistant to penetration of water and oils. Anatomic. antistatic insole with shock-absorber tallanto Toe cap and midsole steel. Dual density polyuretha-

ne sole.

Sizes: from 36 to 48.



ART. AE.KL121FG **BOOT NUBUCK** LEATHER EN20345 -S3 HRO CI HI SRC

Boot, water-repellent uppers oiled nubuck. Breathable. moisture-resistant 3D interior. Molded polymer toe cap. Thermal insulation. Kevlar antiperforation midsole. Dual-density PU / RUB-BER sole. Resistant to oils and hydrocarbons to heat.

Ideal: in the Oil and Gas, engineering sectors etc.

Sizes: from 37 to 47.

Packing: 1/10.



ART.BR.81156-00 **BOOT** "MONTANA" **FULL GRAIN LEATHER** EN20345 - S3 SRC

Upper full Grain-Anilina Leather-Hydrotech. Removable insole: Dual insulation

Sole: PU Dual-Density SRC passed. Toe cap: composite antiperforation: ZERO

(k).Oil and hydrocarbon resistant. Warm heat resistance up to 120 ° C.

Sizes: from 37 to 48. Packing: 1/10.



ART.CO.TYPHOON **BOOT FOR** CONSTRUCTION **WORK HIGH QUALITY** EN20345 - S5

Boot with erg / nitrile Pvc compound, extremely stable tread even on the most untouched terrain. Removable and absorbent inner padding lined with fabric. Steel toe cap and midsole. High visibility reflex insert. Knurled spur to facilitate the extraction of the foot. Particularly suitable for construction work and agriculture.

Sizes: from 36 to 48.

Packing: 1/5.





ART.CO.THERMIC BLACK COLD INSULATION BOOT

EN20345 - S5 CI HRO SRC

Resistant to -25 ° C boots, anatomical and perfumed footbed. The thermal comfort inside the footwear is afforded thanks to the special PU compound designed to give high insulation.

Sole: Nitrile rubber Midsole: not metallic.

Toe cap: non-metallic TOP RETURN, 100% **METAL FREE**.

Particularly suitable for refineries, road works.

Sizes: from 39 to 48.

Packing: 1/6.



ART.CO.SAFEST GR ULTRALIGHT BOOT

EN20345 - S5 CI SRC

Boots with anatomical and perfumed plantar. Knurled spur to facilitate the extraction of the foot. Sole and leg: Polyurethane coated with anti-slip membrane. Midsole: not metallic. Toe cap: non-metallic TOP RETURN, 100% METAL FREF

Particularly suitable for refineries, road works. (Hydrocarbon-resistant sole, inorganic acids, organic acids, alkaline salts, heterogeneous mixtures, ketone aldehydes, organic esters)

organic esters)
(AVAILABLE ALSO IN THE VERSION WITH THERMAL INSULATION)

Sizes: from 38 to 48.

Packing: 1/6.



ART.NO.MEGAJAN BOOT RESISTANT TO CHEMICAL MATERIALS GREEN COLOUR

EN20345 - S5-SRC

upper composed of co-Special polymers and plastic injection agents. Resistant to animal fat, vegetable oils, hydrocarbons and chemicals. Rear spur to facilitate the extraction from the foot without risk of tearing. Internal rampers to hold the fabric of trousers and suits. Midsole: In heat-insulating foam material. Sole: "Time Stopper", symmetrical tread design, gives traction on dry and wet surfaces. Slabs for water and mud spill. Antitorsion insert for maximum foot stability. Toe cap and midsole: steel.

Sizes: from 40 to 46.

Packing: 1/6.



ART.GS.17WF SAFETY BOOT FULL LEG

EN20345 - S5 - SRC

Boots all over waterproof. Black Colour. Support leg to hook to the belt. Thermal seals to ensure waterproofness. Adjustable elastic straps. Sole: PVC / nitrile rubber.

Midsole: steel. Toe cap: steel.

Particularly suitable for refineries, road works.

Sizes: from 37 to 47.

Packing: 1/6.



ART.CO.FINLAND THERMAL INSOLE SOCK FOR BOOTS

R Internal coating in THER-MO-DRY, hollow fiber with high thermal insulation power. The layer in contact with the foot absorbs and sweats the sweat, keeping the heat-insulating interior. The bandwidth of reflective material guarantees high visibility.

(To combine with the rubber boots).

Sizes: from 36 to 48.

Packing: 1/1.



ART.BA.MB6270510 BOOT DIELECTRIC CLASS 0

EN50321 - EN 20347 = OBE HRO SRC

Electrically insulating boot for work under voltage. Class 0, protection up to 1000V in alternating current. Made with a mixture of natural rubber. Individually tested; 10 kV leak test, 20 kV perforation test.

Sizes: from 37 to 50.

ART.FOR.SC198N TOE CAP FOR VISITOR EN 20345



Toe cap for visitors, made of cow leather, with elastic band with heel reinforcement. Tested 200J with steel. Weight for pair gr. approximately 430.

Sizes: S (35/39) M (40/44) L (45/48).

Packing: 1/5 pair.

ART.GS.28WF - FOOTWEAR SABOT FOOD INDUSTRY EN20345 - S2 - SRC



Sandal with steel tip. Breathable, water repellent microfiber upper with strap elastic. Sole in anti-static and non-slip polyurethane foam injected directly into the upper. Dual density. Indicated in the following processes: meat, dairy, food, pharmaceutical.

Sizes: from 36 to 47.

Packing: 1/10.

(model cheaper art.T.AND on order)

ART.AE.7201W - MOCASSIN SHOE WHITE EN20345 - S2 - SRC - TOE CAP COMPOSITE



Microfiber white moccasin, 200J durable composite toe cap, water repellent upper, breathable inner lining, removable insole, polyurethane sole, oil and hydrocarbon resistant, with heel energy absorption.

Sizes: from 37 to 47.

Packing: 1/10.



ART.NO.IVORY WHITE BOOT FOOD INDUSTRY

EN20345 - S4 - SRC

Upper made with "PRPro" compound, special blend (PVC) and plasticizers resistant to acids, manures and fertilizers. Soft and flexible even at low temperatures. Anatomical design for greater comfort of the leg and the foot. Special PVC sole, with very good tread, suitable for friable and oily surfaces. Shock absorption. Antibacterial polyester foam lining. Toe cap: steel.

(Avaible col. yellow S5SRA - Art.NO.GOREX).

Sizes: from 36 to 47.

Packing: 1/6.

ART.BA.6246127 - MOCASSIN SHOE "PRO CLEAN" WHITE EN ISO 20345 - S2 SRC - "TOP QUALITY"



Upper in white microfiber for easy cleaning. No seams to reduce forefoot minimizing the risk of contamination. Toe cap: metal free. Sole: Bacou OriginaL PU2D. Highly anti-slip and durable for intensive use. Resistant to acids and bases.

Sizes: from 35 to 49.

Packing: 1/10.

ART.FTG.SWING LOW - LOW FOOTWEAR FOOD INDUSTRY EN 20345 - S3 SRC



Low waterproof white shoe with toe cap, microfiber upper. Polyurethane sole. midsole metal free. Breathable lining. Washable to 40°. Indicated in the following processes: meat, dairy, food, pharmaceutical.

Sizes: from 35 to 47.

ART.AE.20W LOW SHOE FOOD INDUSTRY WITH LACES - COMPOSITE TOE CAP EN20345 - S2 - SRC



Low water repellent white shoe. Composite toe cap, microfiber upper. Light polyurethane sole. Removable insole, shock absorber heel, breathable inner lining.

Sizes: from 35 to 47.

Packing: 300 (on request).



ART.FTG.SPORTLIT **INSOLE SPORT LITE ESD**

Preshaped, removable insole, ESD, washable and antibacte-

High performance in terms of comfort and energy.

Sizes: from 34 to 48.

Packing: 1/6.



ART.GS.08WF LOW SHOE FOOD INDUSTRY

WITH LACES EN20345 - S2 - SRC

Low water repellent white shoe. Toe cap steel, microfiber upper. Light polyurethane sole. Indicated in the following processes: meat, dairy, food, pharmaceuticals, painters etc. (black color on order).

Sizes: from 35 to 48.

Packing: 1/10.



ART.GS.09CF **GEL INSOLE**

Gel insole, to be adapted to the size of the footwear.

The gel absorbs the bumps and keeps the foot more relaxed.

Sizes: S (37/39) M (40/44) L (45/47).

Packing: 1/50.



ART.BR.PEAK **TABLET FOR INSOLES BGR 191**

Tablet for insole "MODU-LAR FEET".

It is used to analyze the sole of the foot, to match the most suitable insole. to the conformation of the foot.



The semi-orthopedic insole. has been designed to deal with the feet with anatomy. It helps to bring comfort together with the correct posture while maintaining the safety features of the shoe.

Green color for flat feet, red for high support, blue for medium support.

Sizes: from 38 to 46.




ORTHOPEDIC SAFETY FOOTWEAR "UVEX MEDICARE" INDIVIDUALS, CUSTOMIZED ACCORDING TO THE REFERENCE LEGISLATION EN 20345

AUTHORIZED UVEX CENTER FOR PLANTAR RELIEF



DGUV 112-191





ART.UV.8514 - LOW SHOE WITH HOLES "TENDED" EN20345 - S1P - SRC - COMPOSITE TOE CAP





Suitable for those who are allergic to chromium, all the materials of the soles are free of silicones, rapid elastic laces that can be individually adapted.

Standard laces supplied. Dual density PU sole, medial and lateral support for the foot using side frames. Against twisting at the ankle, stabilization, driving and impact protection, non-metallic midsole, high-tech microvelour upper, without seams to avoid compressions, custom-made interchangeable insole. Textile midsole.

Also available in the S3 SRC version - Art. UV.8516

Sizes: from 35 to 52.

Packingg: 1/1. Fit: 10/11/12.



Low medicare shoe, practically seamless, widely metal-free collar. Silicone-free, therapeutic, individually adjustable stabilizing splints. Suitable for made-to-measure insoles, **also adapted for diabetics**. Non-perforation non-metallic midsole, 100% metal free, uvex medi-cap tip - compact, anatomically shaped, safe posture even on scales. Perfect micro climate thanks to the breathable lining and upper microfibre material, padded collar, padded lining. Custom made product. **Also available in a high version**.

Sizes: from 35 to 50 Packingg: 1/1.



- Dorsiflexion weakness
- Oversensitive skin
- Neuropathy
- Tendonitis
- Tendon contractures
- Muscle weakness
- Hallux rigidus
- Hallux valgus
- Hallux varus
- Gout

- Arthritis
- Heel spur
- Claw toes
- Corns
- · Joint blockages
- Joint stiffness
- Joint changes
- Joint inflammation
- Foot deformities



ART.Z3.01CKASC SHORT SOCK MOD. KAISER cut resistant for medium seasons

45% cotton, 15% PP, 15% Amicor Plus, 15% polyamide, 5% elastame, 5% kevlar. Thermoregulating, breathable sock, specific reinforcements at the friction points with kevlar (anti-cut), antimicrobial.

Colour: only one.

Sizes: S (38/40), M (41/43)

L (44/46), XL (47/50)

Packing: 3/120.



ART.Z3.01CTUCF LONG SOCK "TUCSON" cut resistant for medium seasons

CComposition: 65% cotton, 29% polyamide, 3% EA Lycra, 3% Kevlar (cut resistent).

Socks for mid seasons, toe and heel in windshield yarn to prevent breaks at the most friction points with the footwear.

Colour: grey/black.

Sizes: S (38/40), M (41/43), L (44/46).

Packing: 3/90.



ART.Z3.ELEK LONG SOCK "ELECTRO" WINTER

Winter sock, breathable and particularly warm, thermoregulatory, equipped with heel and toe cap (ideal for accident prevention shoes). Antiabrasion and anti-static, cut resistent.

Composition: 38% Cotton, 20% Wool, 20% PC Acrylic, 11% PA Polyamide, 8% Kevlar, 3% Carbon No-Shock.

Colour: black.

Sizes: XS (35/37), S (38/40), M

(41/43), L (44/46).

Packing: 1/72.



ART.Z3.01CMHRL LONG SOCK MOD. MOHAIR (thermoregulated wool)

35% Wool, 30% Acrylic, 20% Cotton,15 Polyamide.

Thermoregulating, breathable thermal, specific reinforcements in the most friction points, elasticated bands and special anti-stress fabrics.

Colour: grey/black.

Sizes: S (38/40), M (41/43), L (44/46).

Packing: 3/72.



ART.Z3.1228 LONG SOCK MOD. CARVE SKY (technical for winter season - thermoregulated)

55% PL Thermolite, 25% PP Polypropilene, 15% PA Polyamide, 5% EL Elastic. Anatomical / ergonomic structure with differentiated compression zones have a toning anti-stress effect. The use of thermolite and polypropylene fibers, however, gives the stocking a high breathable and thermoregulatory capacity. Reinforcements placed at high friction points. Seams Extra finishing.

Colour: like picture.

Sizes: S (35/38), M (39/41), L (42/44), XL (45/47).

Packing:6/100.



ART.Z3.01CACTL LONG SOCK MOD. ACTION (Scotland thread massaging) SUMMER

Summer cotton sock, self-massagging with differentiated compression tones and keeps your legs rested, reduces walking edema and ankles and promotes circulatory flushes, well-known to those who stay for a long time standing.

Colour: blue.

Sizes: S (39/40), M (41/42), L (43/44), XL (45/46).

Packing:5/100.



ART.Z3.01CACTC SHORT SOCK MOD. ACTION (Scotland thread massaging) SUMMER

Summer cotton sock, self-massagging with differentiated compression tones and keeps your legs rested, reduces walking edema and ankles and promotes circulatory flushes, well-known to those who stay for a long time standing.

Colour: blue.

Sizes: S (39/40), M (41/42), L (43/44), XL (45/46).

Packing: 5/100.



ART.Z3.01CLOST CONF.3 PAIRS SOCK "LOST" TRASPIRANT

Invisible cotton sock with light-density anatomic structure, anatomical reinforcements at the toe and heel, light and resistant with breathable front mesh, anti-torsion elastic band in the foot, soft anti-stress stabilizing cuff and extra-fine seam.

Composition: 70% PL Coolmax, 25% PA Polyamide, 5% EL Elastic.

Colour: black.

Sizes: XS (35/37), S (38/40), M (41/43), L (44/46).

Packing: 3/60.



PRESCO LIAMETE AND EVENTABLE PRESCO CALDO

ART.Z3.1165 - SUMMER SOCK "TOUT COURT" TOP TECH



60% PA Meryl Skinlife, 30% PA Polyamide, 10% EA Lycra.

The breathable sock, very fresh.

Colour: like picture.

Sizes: S (36/39), M (40/43), L (44/47).

Packing: 3/120.



ART.Z3.IPYTSOKK T/SHIRT LONG SLEEVE THERMOREGOLATED TRANSPIRANT "KODIAK"

Tessuto 100% poliestere soft. Gr. 200. Termoreg. e antifreddo, ideale per chi opera in ambienti a bassa temperatura ed esterni in stagione invernale. Felpata verso l'interno e maglia liscia verso l'esterno. Tessuto antiodorante. Consigliato per chi svolge attività intense e costanti a temperature rigide

(da -15°C a +5°C) e a chi svolge attività di medio bassa intensità fisica in ambienti a medio basse temperature constanti (da +0°C a +15°C).

Colour: black.

Sizes: from M to XXL.

Packing: 3/120.

Dryarn







ART.Z3.IPATGL T/ T/SHIRT LONG SLEEVE THERMOREGULATED TRANSPIRANT AND ANTISTATIC

Fabbric 96% PP hollow fiber gr.150, 4% carbon "DRYARN". This fabric is thermoreg. antifreeze for the winter season. It ensures a high degree of moisture removal while keeping the skin dry. Flat and soft stitches (no-stress).

Washable with machine at 30 °.

Colour: blue navy.

Sizes: from S to 4XL.

Packing: 1/31.



ART.Z3.IPASCZ UNDER LEG THERMOREGULATED, TRANSPIRANT, ANTISTATIC

Underwear pants made of 96% PP hollow fiber fabric, 150 grams, 4% carbon. This fabric is thermoregulating, against cold and antistatic for the winter season.

Guarantees a high removal of body moisture keeping the skin always dry.

Washable with machine at 30°.

Colour: blue navy.

Sizes: from S to 4XL.



GAMMA SAFETY www.gammasafety.it

Authorized distributor Romania

RIG ENERGY CONSULTANTS SRL
14 Gheorghe Grigore Cantacuzino
100010 Ploiesti, Romania
Email: info@rigenergy.ro
Mobile: +40 739 855 200
www.rigenergy.ro